



About Us

Svarp Healthcare Pvt Ltd, founded in 2018 by Mr. SK Srivastava, a healthcare veteran with over 40 years of experience who retired from the UP Government's Healthcare Department in 2015, and Mr. Prince Srivastava, who has been in the healthcare industry for the last 10 years, Svarp is a rapidly growing pharmaceutical company, is dedicated to enhancing health through innovative and affordable medicines and healthcare solutions. Our product range spans various pharmaceutical segments. We also offers complete hospital setups, high-quality surgical instruments, medical devices, medical equipment, and medical furniture, all bacby expert after-sales service from skilled technicians and engineers. ked

CEO Message

Welcome to our pharmaceutical company, where innovation and compassion converge. We emphasize excellence, integrity, and enhancing global health. As CEO, I proudly lead a team devoted to advancing medical science and accessible healthcare. Our mission is to improve lives by providing high-quality pharmaceuticals, adhering to strict quality and safety standards. Our achievements stem from the dedication of our skilled team. We value trust, transparency, and ethical practices, focusing on our customers' needs while collaborating with healthcare professionals to create a positive impact.

Thank you for your continued support and trust in our mission. Together, we will continue to innovate, heal, and make a positive difference in the pharmaceutical industry.

SK Srivastava (Co-Founder & CEO)

Our Segments

A: Medicines.: Ophthalmology Division Psychiatry Division Pediatrics Division ENT Division Gynecology Division Gastrology Division General Surgery Division Dermatology Division Orthopedic Division Cosmetology Division Cardiology Division Neurology Division

B: Medical Equipment:

L (25

- 1. Diagnostic Equipment 2. Surgical Instruments 3. Life Support Equipment
- 4. Laboratory Equipment 5. Obstetrics and Gynecology Equipment
- 6. Pediatric and Neonatal Equipment 7. Rehabilitation Equipment
- 8. Sterilization and Disinfection Equipment.

C: Hospital Infrastructures:.

- Hospital Furniture: Hospital Bed Adjustable for patient comfort and care. Examination Table – Patient assessment. Overbed Table – Adjustable table for patients. Bedside Locker – Personal storage for patients.
- 2. Emergency and First Aid Equipment: Ambu Bag (Bag Valve Mask) Manual resuscitator. Spine Board Immobilization of patients with spinal injuries. Splints Immobilization of fractures.
- 3. First Aid Kit Basic emergency medical supplies.

D: Maintenance:

Preventive Maintenance: Scheduled inspections and servicing to prevent failure.

E: Hospital Staff Supply

We are committed to providing top-tier manpower solutions tailored to meet the unique needs of businesses across various Pharmaceutical Company. With years of experience, we specialize in delivering skilled, reliable, and flexible workforce options, ranging from temporary staffing to permanent placements.

Let us handle your workforce needs, so you can focus on what matter most—growing your business

FULLY MOTORIZED BED – SGM CURO A



- Overall Approx Dimension: 2250 MM L X 1030 MM W X 450 MM to 850 MM HT
- TECHNICAL SPECIFIACTION
- Four section top
- Polymer molded Head and Foot panel
- All function operated by 4 Actuators
- Function operated by actuators Backrest , Kneerest , Trendelenburg and Reverse Trendelenburg and Height adjustment
- In attendant control panel all function with Locking
- Tuck down Polymer molded railing on four side with Angel indicator
- ▶ Four side IV pole location with one Complete S.S. Telescopic IV Pole
- 125mm Dia non rusting castor with central and directional locking system
- Bed with Attendant control panel and one remote for patient use
- Emergency Release function CPR Lever
- Bed extension
- Removebel head & Foot panels of Polymer molded
- Finish pretreated and epoxy powder coated

- Mattress for Bed
- Collapsible IV STAND



FULLY MOTORIZED BED – SGM CURO B



- Overall Approx Dimension: 2250 MM L X 1030 MM W X 450 MM to 850 MM HT
- TECHNICAL SPECIFIACTION
- Four section top
- Polymer molded Head and Foot panel
- Two function operated by Actuators
- Function operated by actuators Backrest, Kneerest,
- Trendelenburg and Reverse Trendelenburg and Height adjustment oprated by crank mechanism
- In attendant control panel all function with Locking
- One set of Alluminium Collapsable Side Railings
- ▶ Four side IV pole location with one Complete S.S. Telescopic IV Pole
- ▶ 125mm Dia non rusting castor with directional locking system
- Bed with Attendant control panel and one remote for patient use
- Emergency Release function
- Bed extension
- Removebel head & Foot panels of Polymer molded
- Finish pretreated and epoxy powder coated

- Mattress for Bed
- Collapsible IV STANDp

SEMI MOTORIZED BED – SGM CURO C



- Overall Approx Dimension: 2250 MM L X 1030 MM W X 450 MM to 850 MM HT
- TECHNICAL SPECIFIACTION
- Four section top
- Polymer molded Head and Foot panel
- Two function operated by Actuators
- Function operated by actuators Backrest, Kneerest,
- Trendelenburg and Reverse Trendelenburg and Height adjustment oprated by crank mechanism
- Tuck down Polymer molded railing on four side with Angel indicator.
- ▶ Four side IV pole location with one Complete S.S. Telescopic IV Pole
- ▶ 125mm Dia non rusting castor with directional locking system
- Bed with Feather Touch remote for patient use
- Removebel head & Foot panels of Polymer molded
- Finish pretreated and epoxy powder coated

- Mattress for Bed
- Collapsible IV STAND

MANUAL I.C.C.U - SGM 9001



- Overall Approx Size : 2220 MM L X 980 MM W X 490 to 730 MM HT
- TECHNICAL SPECIFIACTION
- All functions operated manually by detachable handle Backrest, Kneerest, Height Adjustment, Trendelenburg and Reverse Trendelenburg
- Detachable pair of Polymer molded Head and Foot panel
- Detachable pair of collapsible side rail.
- ▶ 125mm Dia non rusting castor two with Brakes and two without Brakes
- Corner Buffer at four sides.
- Four side IV pole location with one Powder coated Telescopic IV Pole.
- ▶ The Bed Frame made from 60mm X 30mm of ERW tubes.
- Four section M S top made of CRCA sheet.
- Finish pretreated and epoxy powder coated,

- MATTRESS FOR BED
- Collapsible IV STAND

FIXED HEIGHT I.C.C.U BED - SGM 9002



- Overall Approx Size: 2220 MM L X 980 MM W X 600 MM HT
- TECHNICAL SPECIFIACTION
- All functions operated manually by Three Piece ABS handle
- Backrest , Kneerest, Trendelenburg and Reverse Trendelenburg
- Detachable pair of Polymer molded Head and Foot panel
- Detachable pair of collapsible side rail.
- ▶ 125mm Dia non rusting castor two with Brakes and two without Brakes
- Corner Buffer at four sides.
- Four side IV pole location two at Head side Two at Leg Side
- The Bed Frame made from 60mm X 30mm of ERW tubes.
- Four section M S top made of CRCA sheet.
- Finish pretreated and epoxy powder coated,

- MATTRESS FOR BED
- Collapsible IV STAND

SEMI FOWLER HI LO BED RECOVERY BED - SGM 9004



- Overall Approx Size: 2220 MM L X 980 MM W X 500 MM HT
- TECHNICAL SPECIFIACTION
- All functions operated manually
- (a) Backrest operated by fix collapsible handle
- (b) Trendelenburg and Reverse Trendelenburg operated by detachable handle
- Detachable Polymer Molded Head and Foot panel
- ▶ 125mm Dia non rusting castor two with Brakes and two without Brakes
- Corner Buffer at four sides
- Four side IV pole location two at Head side Two at Leg Side
- ▶ The Bed Frame made from 60mm X 30mm of ERW tubes
- Two section M.S. top made of CRCA sheet
- Finish pretreated and epoxy powder coated,

- MATTRESS FOR BED
- Collapsible IV STAND

FOWLER POSITION WITH MOLDED PANELS - SGM 9003A



- Overall Approx Size: 1910 MM L X 910 MM W X 610 MM HT
- TECHNICAL SPECIFIACTION
- Two functions operated manually Backrest and Kneerest operated by fix collapsible handle.
- Detachable Polymer Molded Head and Foot panel.
- Legs fitted with Superior quality PVC shoes.
- Four side IV pole location
- ▶ The Bed Frame made from ERW tubes.
- ▶ Four section M S top made of CRCA sheet.
- Finish pretreated and epoxy powder coated,

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- B) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks

FOWLER POSITION WITH LAMINATED PANELS - 9003B



▶ FOWLER POSITION WITH LAMINATED PANELS

- Overall Approx Size: 1910 MM L X 910 MM W X 610 MM HT
- TECHNICAL SPECIFIACTION
- Two functions operated manually Backrest and Kneerest operated by fix collapsible handle.
- Detachable S.S. Head and Foot panel made with prelaminated board
- Legs fitted with Superior quality PVC shoes.
- Four side IV pole location
- The Bed Frame made from ERW tubes.
- Four section M S top made of CRCA sheet.
- Finish pretreated and epoxy powder coated,

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- B) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks

FOWLER POSITION WITH POWDER COATING PANELSGM - 9005



- Overall Approx Size: 1910 MM L X 910 MM W X 610 MM HT
- TECHNICAL SPECIFIACTION
- Two functions operated manually Backrest and Kneerest operated by fix collapsible handle.
- Detachable Powder coated Head and Foot Panel.
- Legs fitted with Superior quality PVC shoes.
- Four side IV pole location
- The Bed Frame made from ERW tubes.
- Four section M.S. top made of CRCA sheet.
- Finish pretreated and epoxy powder coated,

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- B) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks

SEMI FOWLER POSITION WITH MOLDED PANELS - SGM 9006A



- Overall Approx Size: 1980 MM L X 910 MM W X 610 MM HT
- TECHNICAL SPECIFIACTION
- One functions operated manually Backrest operated by fix collapsible handle.
- Detachable Polymer Molded Head and Foot panel.
- Legs fitted with Superior quality PVC shoes.
- Four side IV pole location.
- The Bed Frame made from ERW tubes.
- Two section M S top made of CRCA sheet.
- Finish pretreated and epoxy powder coated

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- B) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks

SEMI FOWLER WITH LAMINATED PANELS - 9006B



- Overall Approx Size: 1980 MM L X 910 MM W X 610 MM HT
- FEATURES AND TECHNICAL SPECIFIACTION
- One function operated manually Backrest operated by fix collapsible handle
- Detachable S.S. Head and Foot panel Made from Pre laminated Board
- Legs fitted with Superior quality PVC shoes.
- Four side IV pole location.
- The Bed Frame made from ERW tubes.
- Two section M S top made of CRCA sheet.
- Finish pretreated and epoxy powder coated

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- B) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks

SEMI FOWLER WITH MS PANELS - 9007



- Overall Approx Size: 1980 MM L X 910 MM W X 610 MM HT
- FEATURES AND TECHNICAL SPECIFIACTION
- One functions operated manually Backrest operated by fix collapsible handle.
- Detachable Powder coated Head and Foot Panel
- Legs fitted with Superior quality PVC shoes.
- Four side IV pole location.
- The Bed Frame made from ERW tubes.
- Two section M S top made of CRCA sheet.
- Finish pretreated and epoxy powder coated

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- B) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks .

PLAIN BED WITH LAMINATED PANELS - SGM 9010



- Overall Approx Size: 1830 MM L X 910 MM W X 610 MM HT
- FEATURES AND TECHNICAL SPECIFIACTION
- Detachable S.S. Head and Foot panel Made from Prelaminated board.
- Legs fitted with Superior quality PVC shoes.
- ▶ Holes at four location for saline arrangement.
- The Bed Frame made from ERW tubes.
- M.S. top made of CRCA sheet.
- Finish pretreated and epoxy powder coated

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- **B**) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks

PLAIN BED WITH POWDER COATING PANEL - SGM 9011



- Overall Approx Size: 1830 MM L X 910 MM W X 610 MM HT
- FEATURES AND TECHNICAL SPECIFIACTION
- Machine pressed CRC sheet top with proper support.
- Detachable Powder coated Head and Foot panel.
- Legs fitted with Superior quality PVC shoes.
- ▶ Holes at four location for saline arrangement.
- The Bed Frame made from ERW tubes.
- M.S. top made of CRCA sheet.
- Finish pretreated and epoxy powder coated

- MATTRESS FOR BED
- Detachable Collapsible rail
- A) Detachable aluminium Collapsible rail
- **B**) Detachable Powder Coated rail
- Collapsible IV STAND
- 125mm Dia non rusting castor two with Brakes and two without Brakes
- Crib arrangement
- Urine bag hooks

PEDIATRIC BED - 9009



- Machine pressed CRC sheet top with proper support.
- Detachable Powder coated Head and Foot panel.
- Legs fitted with Superior quality PVC shoes.
- Holes at four location for saline arrangement.
- ▶ The Bed Frame made from ERW tubes.
- M.S. top made of CRCA sheet.
- Finish pretreated and epoxy powder coated

- MATTRESS FOR BED
- Collapsible IV STAND
- ▶ 125mm Dia non rusting castor two with Brakes and two without Brakes
- Urine bag hooks

SGM 9014A



■ BED SIDE LOCKER MEMBRANE PRESSED

- Overall Approx Size: 400 MM L x 400 MM W x 820 MM HT
- Machine pressed CRC sheet enclosed on three sides.
- Having one small drawer & one big Cabinet fittet with membrane pressed top & door
- Four side swivel 50 mm Dia non rusting Castor
- Finish pretreated and epoxy powder coated



SGM 9013

▶ BEDSIDE LOCKER WITH DRAWER

- Overall Approx Size: 400 MM L x 400 MM W x 820 MM HT
- Machine pressed CRC sheet
- ▶ Having one cabinet with ventilation louvers and one drawer at top.
- Having S. S. top.
- Tubuler leg fitted with PVC shoes.
- Finish pretreated and epoxy powder coated

SGM 9012



- BED SIDE LOCKER SS TOP
- Overall Approx Size: 400 MM L x 400 MM W x 820 MM HT
 Machine pressed CRC sheet
- ▶ Having one cabinet with ventilation louvers.
- Having S. S. top.Tubuler leg fitted with PVC shoes.
- Finish pretreated and epoxy powder coated



SGM 9012A

- BED SIDE LOCKER BASIC TABLE
- Overall Approx Size: 400 MM L x 400 MM W x 820MM HT
 M.S. Tubular frame work leg fitted with PVC Shose
 Having S. S. Top with three side railling
 Having down side detachable S. S. tray

- Finish pretreated and epoxy powder coated

SGM 9023A



- ADJUSTABLE BEDSIDE TABLE MEMBRANE PRESSED TOP HYDRAULIC
- Overall Approx Size: 760 MM L x 400 MM W x 730 TO 1090 MM HT
- Two Section membrane pressed top
- Strong mild steel ERW Tubular frame work
- ▶ 50 mm Dia non rusting Castor
- ▶ Height adjustment by GAS spring mechanism with pull off lever.
- Finish pretreated and epoxy powder coated



SGM 9023

- ADJUSTABLE BEDSIDE TABLE MEMBRANE PRESSED TOP
- Overall Approx Size: 760 MM L x 400 MM W x 730 TO 1090 MM HT
- Single Section membrane pressed top with raised edges
- Strong mild steel ERW Tubular frame work
- ▶ 50 mm Dia non rusting Castor
- ▶ Height adjustment by geared mechanism with Collapsible fix Handle.
- Finish pretreated and epoxy powder coated

HYDRAULIC EXAMINTION COUCH - SGM 9037A



- EXAMINATION COUCH WITH SINGLE STEP STOOL PLAIN
- Overall Approx Size: 1830 MM x 610 MM W x 820 HT
- Having three drawer in uppre saction
- Lower section has three separated cabinet
- Head up down facility by gas spring mechanismSupply with inbuilt single step stool
- Form mettress with rexine cover
- Finish pretreated epoxy powder coated,

REGULAR EXAMINATION COUCH - SGM 9037B



- EXAMINATION COUCH WITH SINGLE STEP STOOL PLAIN
- Overall Approx Size: 1830 MM x 610 MM W x 820 HT
- ▶ Having three drawer in uppre saction
- ▶ Lower section has two separated cabinet & one center drawer
- Supply with single step stool
- Form mettress with rexine cover
- Finish pretreated and epoxy powder coated

REGULAR EXAMINATION COUCH GYNAEC - SGM 9037C



- Overall Approx Size: 1830 MM x 610 MM W x 820 HT
- U' cut at the lower end with a pair of lithotomy rods with belt
- ► Having three drawer in uppre saction
- Lower section has two separated cabinet & one center drawer
- Supply with single step stool
- Form mettress with rexine cover
- Finish pretreated and epoxy powder coated

SGM 9029



- CRASH CART
- Overall Approx Size: 930 MM L X 400 MM W X 1580 MM HT
- Complete S.S Tubuler work with Top with three sided stainles steel railings
- Trolley mounted on 125 mm Dia Nonrusting Castor, Two with brakes & Two without Brakes.
- Six molded drawers, Two drawers with utility containers
- 06 nos. handout bins at eye lavel
- S.S. Saline rod with detachable powder coated oxygen arragement
- one wooden bord for cardiac Massage
- Complete S.S. in mat finish



SGM 9040

MONITOR TROLLEY

- Overall Approx Size: 600 MM W X 690 MM D X 1570 MM HT
- Four adjustments Shelfs at zero level, suitable for storing monitor printer, stabilizer, etc.
- 125mm Dia Castor two with Brakes and two without Brakes.
- ▶ Having 5/15 Ampere board with 6 nos.,3 pin plug electric board.
- One lockable drawer at bottom.
- S.S. saline rod and oxygen cylinder arrangement
- Finish pretreated and epoxy powder coated, .



SGM 9051



- MEDICINE TROLLEY WITH TWELVE MOLDED DRAWERS
- Overall Aprrox Size: 750 MM L X 380 MM W X 930 MM HT.
- Tubular frame work fitted with 100mm Dia. castor.
- Twelve molded drawers with lockble, Two drawers with utility container.
- One S.S. tray on topFinish pretreated and epoxy powder coated, .



SGM 9052

MEDICINE TROLLEY WITH SIX MOLDED DRAWERS

- Overall Aprrox Size: 750 MM L X 380 MM W X 930 MM HT.
 Tubular frame work fitted with 100mm Dia castor.
- Six molded drawers with lockble, Two drawers with utility containers.
- One S.S. tray on top and one at bottom
- Finish pretreated and epoxy powder coated, . .



SGM 9027A



- INSTRUMENT TROLLEY COMPLETE SS BIG SIZE WITH RAILLING
- Overall Approx Size: 1000 MM L X 550 MM W X 820 MM HT
- Structure made up of stainless steel material
- Complete S.S. tubular frame work of 25mm x 18G, S.S..
- ▶ 100 mm Dia Nonrusting Castor, Two with breacks & Two without Brakes.
- ▶ Three sided S.S. railing on upper shelves.
- Complete S.S. in mat finish



SGM 9027

- **▶ INSTRUMENT TROLLEY COMPLETE SS WITH RAILING**
- Overall Approx Size :690 MM L X 450 MM W X 820 MM HT.
- Structure made up of stainless steel material.
- Complete S.S. tubular frame work of 25 MM S.S.
- ▶ 100 mm Dia Nonrusting Castor, Two with breacks & Two without Brakes.
- Three sided S.S. railing on upper shelves.
- Complete S.S. in mat finish



SGM 9027B



- WARD DRESSING TROLLEY
- Overall Approx Size: 1000 MM L X 450 MM W X 820 MM HT
- Shelf Approx Size: 690 MM L X 450 W
- S.S. Grade Tubular work.
- Trolley mounted on 100 mm Dia Nonrusting Castor, Two with breacks & Two without Brakes.
- Trolley supplied with S.S. bucket and S.S. bowl.
- Complete S.S. in mat finish.



SGM 9027

- INSTRUMENT TROLLEY COMPLETE SS WITH RAILING
- Overall Approx Size: 690 MM L X 450 MM W X 820 MM HT.
- ▶ Shelf & Top, S.S. structure made up of mild steel
- Complete M.S. tubular frame work of 25 MM square tube
- ▶ 100 mm Dia Non rusting Castor, Two with breaks & Two without Brakes.
- Three sided S.S. railing on upper shelves.
- S.S. in mat finish with powder coated structure





Thank You

Registered Office :

S-354 Sanskriti Enclave Gate No. 1, ELdeco-2nd Raebreilly Road Lucknow-226025-UP India

- info@svarp.in
- www.svarp.in
- +91-79920-17810

